



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

April 4, 2011

Paul Robischon
Washington Water Service Company
6800 Meridian Road SE
Olympia, WA 98513

Re: Water Right No(s): **G2-26613** – (Holiday Ranchettes)
G2-26990 – (Parkshore Estates)
G2-28057 – (Minterbrook)
G2-28779 – (Biscay Villa)
G2-28846 – (Rainwood)

Dear Mr. Robischon:

In response to your request, you are hereby granted extensions to file *Proof of Appropriations* on the above-referenced water rights for the reasons below:

G2-26613 – Holiday Ranchettes

- System is currently serving 372 connections but is not yet at full use. Additional time is needed to extend service to an approved 478 connections.
- The new deadline to put the water to full beneficial use and send a completed Proof of Appropriation form for Water Right G2-26613 is **March 1, 2016.**

G2-26990 – Parkshore Estates

- System is currently serving 61 connections but is not yet at full use. Additional time is needed to extend service to an approved 99 connections.
- The new deadline to put the water to full beneficial use and send a completed Proof of Appropriation form for Water Right G2-26990 is **March 1, 2016.**

G2-28057 – Minterbrook

- System is currently serving 1,290 connections but is not yet at full use. Additional time is needed to reach full capacity.
- The new deadline to put the water to full beneficial use and send a completed Proof of Appropriation form for Water Right G2-28057 is **March 1, 2016.**

G2-28779 – Biscay Villa

- Water treatment system has been installed and will go online March 2011. The plat of Biscay Villa has not yet been completely built out. Additional time is needed to reach full capacity.



- The new deadline to put the water to full beneficial use and send a completed Proof of Appropriation form for Water Right G2-28779 is **March 1, 2016.**

G2-28846 – Rainwood

- System is currently serving 18 connections but is not yet at full use. Additional time is needed to extend service to an approved 20 connections.
- The new deadline to put the water to full beneficial use and send a completed Proof of Appropriation form for Water Right G2-28846 is **March 1, 2016.**

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of letter. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this letter with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this letter on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
<p>Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503</p> <p>Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501</p>	<p>Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608</p> <p>Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903</p>
<p>And Send a Copy of Your Appeal to: Thomas Loranger Department of Ecology Southwest Regional Office PO Box 47775 Olympia, WA 98504-7775</p>	

*For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State
Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.*

If you have any questions, please contact Amy Nielson at (360) 407-6116 or at
amy.nielson@ecy.wa.gov.

Sincerely,



Thomas Loranger
Section Manager
Water Resources Program

Enclosures: *Your Right to Be Heard*

BY CERTIFIED MAIL: 7009 3410.0000 1272 5483

